

Scripps Gerontology Center

Scripps Gerontology Center Publications

Miami University

Year 2004

Profile & projections of the 60+
population : Scioto County, Ohio

Shahla Mehdizadeh
Miami University, commons@lib.muohio.edu

O
H
I
O

L
O
N
G

T
E
R
M

C
A
R
E

R
E
S
E
A
R
C
H

P
R
O
J
E
C
T



PROFILE & PROJECTIONS OF THE 60+ POPULATION

SCIOTO COUNTY
OHIO

PROJECT TEAM:

Shahla A. Mehdizadeh, Ph.D.
Principal Investigator

Disability Projections
Data Analysis

Sarah Poff Roman, MGS
Primary Author
Report Design/Layout

Valerie Wellin
Data Management
Graphic Design
Online Project Management

P. Neal Ritchey, Ph.D.
*Department of Sociology
University of Cincinnati*

Population Projections

Suzanne Kunkel, Ph.D.
Project Consultant



MIAMI
UNIVERSITY
OXFORD OHIO

Acknowledgments

The authors would like to thank Arlene Nichol and Lisa Grant for their assistance in preparing tables, and Mary Vadakkan for verifying the many facts and figures presented in this report.

We also would like to express our gratitude to Robert Applebaum, William Ciferri, and Jane Straker for their comments on earlier versions of this report.

This research was funded as part of a grant from the Ohio General Assembly, through the Ohio Board of Regents to the Ohio Long-Term Care Research Project.

All county reports as well as a state report are downloadable at:
<http://www.scripps.muohio.edu/scripps/research/countyreports.html>

FAST FACTS

ABOUT

Scioto County and its 60+ Population



WWW.SCRIPPS.MUOHIO.EDU

- Almost 20% of Scioto County's population is age 60+ (or 15,566 individuals)
- By 2020, there will be 20,200 individuals age 60+ in Scioto County (This is a 30% increase in the 60+ population)
- Nearly 3 in 4 individuals age 85+ are female
- Disability increases with age: Only 3% of 60-69 year olds have a severe disability, compared to 44% of those 90+
- Nearly one half of individuals age 60+ have at least one disability
- By 2020, more than 1,600 individuals age 60+ with a severe disability will reside in Scioto County
- Almost 19% of the age 60+ population live in poverty
- Almost 3% of individuals age 60+ are racial or ethnic minorities
- Of men age 60+, 73% are married, compared to only 46% of women
- Nearly 8 in 10 individuals age 60+ have 12 or fewer years of education
- Of women age 60+, 44% live alone, compared to 24% of men



396 UPHAM HALL
MIAMI UNIVERSITY
OXFORD, OH 45056
PHONE: (513) 529-2914



MIAMI
UNIVERSITY
OXFORD OHIO



Preface

During the next 20 years, the national population, as well as the population in Ohio, will grow older. In anticipation of this impending change, we have created this series of reports to help Ohio area agencies on aging, service providers, and other organizations that are not directly involved in aging services to better plan for the needs of the aging population.

The purpose of these reports is to present the unique profile of the **older population (60+)** in each of Ohio's 88 counties and to project the number of older people and the prevalence of disability among this population. Trends and projections are provided for ages 60 and above, because this is the eligibility age for some state and local home care programs. Specific topics explored include disability, poverty, marital status, living alone, and educational attainment among the older population. Throughout the reports, trends are compared according to gender and age group for each county. To provide a better understanding of the county's standing in relation to the rest of the state, population characteristics from each county are compared with corresponding measures of Ohio's older population. In order to provide insight into the direction the county is moving some population trends are also presented.

In preparing this report, we used data from the Census short form, which is available for all residents within each county, and the Census long-form, which is available for a representative sample of county residents. The actual Census count from the Census short-form and the weighted sample counts from the long-form may be slightly different. To preserve privacy and confidentiality of the respondents, the census long-form data is available for geographic units with a minimum population of 100,000. In some cases a large county encompasses several such geographic units while in other cases a few neighboring counties are bundled together to form a geographic unit with 100,000 population. In large counties, the data for education, poverty threshold, living arrangement, marital status and disability rates are for the county alone, while smaller neighboring counties will show identical data, for the above indicators of need for assistance, for the bundled counties. **The data in this report combine Adams and Scioto Counties.**

Sources used to create all tables and figures are specified.



PROFILE & PROJECTIONS OF THE 60+ POPULATION: SCIOTO COUNTY, OHIO

Background

This report illustrates the demographic changes that occurred in Scioto County between 1990 and 2000, and presents projections of the older population including the number of older adults with disabilities. The report also covers other population characteristics that have been shown to be associated with the need for long-term care services among older adults, such as the prevalence of poverty, living alone, lack of education, and being unmarried. County-level data are compared to data on Ohio as a whole in order to show differences or similarities in population characteristics. By examining both demographic patterns and informed projections, counties will be better prepared to address the needs of their aging and disabled populations.

County Overview

Scioto County is located in the south-central portion of Ohio, encompassing the city of Portsmouth. In 2000, the county population was 79,195. Scioto County is relatively rural, with 50.4% of the population living in rural areas in 2000, compared to 57.6% in 1990. This represents a decrease of 16.0% in rural population over the ten-year period. With 15,566 individuals age 60 and over, Scioto County has the 33rd largest 60+ population in the state, yet it ranks 15th in proportion of total population that is 60+ (out of 88 counties in Ohio). As shown in the Summary Table, the 60+ population represents 19.7% of the total population in Scioto County.

**Summary Table
Scioto County, 2000**

Total Population Age 60+	15,566
% Population Age 60+	19.7
Population Age 40+	35,801
% Population Age 40+	45.2
% Population 60+ at or Below Poverty Level*	18.5
% Population Age 60+ with Self-Care Disabilities*	14.0
% Population Age 60+ with at Least one Physical, Mental, Sensory or Self-Care Disability*	44.7
% Population 60+ who are White	97.1
% Population Age 60+ who are Married*	57.9
% Population Age 60+ who are Living Alone*	35.2
% Population Age 60+ who Have Less Than a High School Diploma*	42.6

*These data categories reflect combined data from Adams and Scioto counties.

In some instances in this report, data are presented for the population age 40+. This cohort is important to consider when developing projections, because the population age 40+ in 2000 will be age 60+ in 2020. The population that is currently 40+ is also significant because it contains the baby boom generation. As shown in the summary table, 45.2% of the population in Scioto County is currently over the age of 40.

In the remainder of this report, we explore variables (touched on in the Summary Table) that are related to long-term care needs. Factors related to one’s need for long-term care include disability, income, race and ethnicity, marital and educational status, and living arrangements. The following sections provide detailed analyses of these risk factors according to gender, age group, county/state standing, and ten-year trends.

Population Profile

The total population of Scioto County decreased by 1.4% between 1990 (80,327 residents) and 2000 (79,195 residents). In contrast, the entire population of Ohio increased 4.7% in the same time. In 2000, 19.7% of the county population was 60+. Table 1 provides a detailed breakdown of the older population in Scioto County in 2000 by age group and gender.

**Table 1
Population Age 60+, by Gender and Age Group
Scioto County, 2000**


Age Group	Men		Women		Total
	Number	Percent	Number	Percent	
60-64	1,728	46.2	2,012	53.8	3,740
65-69	1,480	45.7	1,756	54.3	3,236
70-74	1,312	42.1	1,807	57.9	3,119
75-79	914	37.1	1,550	62.9	2,464
80-84	542	33.9	1,056	66.1	1,598
85-89	243	27.6	636	72.4	879
90-94	105	26.3	295	73.8	400
95+	30	23.1	100	76.9	130
Total 60+	6,354	40.8	9,212	59.2	15,566
Ohio 60+	823,200	41.9	1,140,289	58.1	1,963,489

Source: U.S. Census Bureau, 2000 Census of Population: Table P12. SEX BY AGE [49] -
Universe: Total Population

Gender Distribution - The gender distribution of the older population in Scioto County is similar to that of the state of Ohio. Of the entire county population age 60+, women comprise 59.2% (compared to 58.1% in the state). As shown in Table 1, women outnumber men at all ages over 60; a disparity that increases with each advancing age group. Of particular interest is the gender ratio among the oldest age group. Of the population over the age of 84 in Scioto County, 73.2% are women. The higher proportion of women among the oldest age group suggests that the population potentially eligible for, and in need of, long-term care services is largely female.

Growth in the Older Population - As shown in Figure 1, there are only slight differences in the population distribution across age groups in the county compared to the state. Although the majority of Ohioans are under the age of 60, the proportion of older adults in Scioto County (and Ohio) will grow substantially over the next several decades. This growth in the older population is largely a result of the aging baby boomers. Currently ranging from 40 to 59 years of age, this cohort will dramatically impact the age distribution of the older population as they age. The influence of the baby boomers on both county and state populations is evident in Figure 1.


Figure 1
Population Distribution* by Age Group (40-85+)
Scioto County & Ohio, 2000



Source: U.S.Census Bureau, 2000 Census of Population: P12. SEX BY AGE [49].

The impact of the baby boomers on the age distribution of the 40+ population is also evident when population data from 2000 are compared to data from 1990. As shown in Figure 2, 25.5% of the county population was age 40-59 in 2000, compared to 21.5% in 1990. Also noteworthy is the increase in the population over the age of 85. In 2000, this age group comprised 1.8% of the population, compared to 1.7% in 1990 (an increase of 5.9%).

Figure 2
Population Distribution* by Age Group (40-85+)
Scioto County, 1990 & 2000



Source: U.S. Census Bureau, 1990 Summary Tape File 1 (STF1) P011 & 2000 Census of Population: P12. SEX BY AGE [49].

Another indication that the population in Scioto County is aging is the increase in median age¹. Between 1990 and 2000, median age increased from 33 years (1990) to 37 years (2000). This increase closely reflects that of the state, where the median age rose from 33 to 36 years in the same period. An increase in median age suggests that the proportion of older adults in Scioto County is growing. As these segments of the county population reach advanced age, the need for long-term care services may increase.

¹ The **median age** of a population is that age that divides a population into two groups of the same size, such that half the total population is younger, and the other half is older.

Population Projections

This section of the report focuses on the expected growth of the overall older population, and on the growth of the older population who will experience some limitation in their ability to perform basic *activities of daily living* (ADLs) such as bathing, dressing, and preparing meals.

To project the size of the population age 60 and older for the years 2005 to 2020, we began with the population (already born) that has reached at least the age of 40. Using the *cohort component* methodology of population projection (Shryock & Siegel, 1996), we made the following assumptions about both survival and migration rates:

Survival Rate: Ohio's survival rates are based on national projected survival rates. These rates include improvements in national mortality rates, while maintaining deviation from the national rates observed in Ohio in the 2000 Vital Statistics.


Migration Rate: The 10-year net migration rates were estimated using age-sex counts of each county's population in the 1990 and 2000 Censuses adjusted for the deaths occurring to the age-sex group from April 1, 1990 through March 31, 2000. Of course, in calculating the deaths occurring to an age group, adjustment was made for the group's aging during the decade. The age-sex specific rates of net migration for each county during 1995-2000 are assumed to hold for that county during the period 2000-2005 and 2005-2020. For a more detailed explanation of the procedures used for determining survival or migration rates see the Methodology section.

A beneficial feature of these population projections is the detailed presentation of the 85-89, 90-94, and 95+ age groups (when possible) for the following reasons:

- 1.) The high rate of growth of the population 85 years and over;
- 2.) Rates of disability vary considerably among these age groups;
- 3.) The Federal Interagency Forum on Aging-Related Statistics now recommends that data be presented for ages 85-89, 90-94, and 95+ (<http://www.agingstats.gov/chartbook2000/dataneeds.html>).

The number of Scioto County residents age 60 and over is expected to increase from a total of 15,566 in 2000 to a projected 20,165 in 2020. As Figure 3 (and Table 1a in the Appendix) illustrates, the greatest increase is expected among the 60-69 year age group (those currently age 40-49). In 2000, there were 6,976 older adults age 60-69 in Scioto County. By the year 2020, when the bulk of the baby boomers move into this age group, it is expected that there will be approximately 9,881 individuals age 60-69 in Scioto County. This projection suggests a 41.6% increase in the County population in this age group. The 90+ age group is also expected to increase, from 530 in 2000, to 703 in 2020 (an increase of 32.6%).

Figure 3
Projections of Population Age 60+, by Year* and Age Group,
Scioto County




Source: Authors' projections.
 *Year 2000 data are actual population counts.

Prevalence of Disability among the 60+ Population

The rate of disability among the 60+ population in Scioto and Adams Counties² closely mirrors the state of Ohio. In 2000, the most common type of disability reported was physical, followed by sensory, mental, and self-care impairments, respectively (see Figure 4). According to the Census, a physical impairment is defined as a long-lasting condition that substantially limits one or more basic physical activities such as walking, climbing stairs, reaching, lifting or carrying. Sensory impairments include blindness, deafness, or any severe and long-lasting vision or hearing impairment. Mental health impairment is defined as having difficulty learning, remembering or concentrating because of a physical, mental, or emotional condition that lasts 6 months or more. Self-care impairments include difficulty dressing, bathing, or getting around the house as a result of a long-lasting condition (6 months or more). It should be noted that these categories are not mutually exclusive. Respondents could have multiple impairments, which may span more than one disability category. In 2000, 44.7% of the 60+ population in Scioto and Adams Counties had at least one disability.

Figure 4
Proportion of Population Age 60+, with Sensory, Physical, Mental and Self-Care Disabilities, Adams and Scioto Counties & Ohio, 2000




Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

² As explained in the Preface, Figures 4-6, 9-12, & 14-20 present data for Scioto and Adams Counties.

As illustrated in Figure 5, the percentage of individuals reporting sensory, physical, mental and self-care disabilities in Scioto and Adams Counties steadily increases with age, not surprisingly, with the oldest age group reporting the highest levels in all four types of disability. For example, the proportion of people with physical disabilities increases from 28.7% of the population age 60-64, to 71.7% of the population age 90+.

Figure 5
Disability Among Population Age 60+
by Type of Disability and Age Group,
Adams and Scioto Counties, 2000




Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

Projections of Population with Disability

In this study, disability is defined as a measure of impairment in Activities of Daily Living (ADLs) and Instrumental Activities of Daily Living (IADLs). Three levels are assigned to this measure: Severe Disability, Moderate Disability, and Little or No Disability. Individuals are classified as moderately disabled if they received assistance in one of the following ADLs: eating, transferring in or out of bed or chair, getting to the toilet, dressing, bathing, or remaining continent; or in at least one of the following instrumental tasks of daily living: walking, shopping, meal preparation, housekeeping, or using transportation or telephone. Severe disability refers to receiving assistance in at least two of the following ADLs: eating, bathing, transferring in or out of bed or chair, getting to the toilet, dressing, or remaining continent, or to having cognitive impairment. The disability rates by sex and age group are assumed to remain the same from 2000 to 2020 as they were in 1995.

The prevalence of disability increases with age. As Figure 6 shows, only 3% of the population age 60-64 have a severe disability, compared to more than half (53%) of the people age 95 and older. Women experience higher rates of severe and moderate disability at every age compared to men of the same age. For more information on the prevalence of disability among men and women by age group, see the Methodology section.

Figure 6
Estimated Percentage Distribution of Total Population
by Disability Status and Age Group, 1995



Source: Mehdizadeh, S.A., Kunkel, S.R., Ritchey, P.N. (2001). *Projections of Ohio's Older Disabled Population: 2015 to 2050*. Oxford, OH: Scripps Gerontology Center, Miami University.

Since the rate of disability by gender and age group was held constant throughout the timeline (see the Methodology section for a more detailed explanation), any fluctuations in the number of persons with disabilities across time are attributed to projected changes in the number of people in each age-gender group. As was discussed in the population projections section (see Figure 3), the greatest increases in the 60+ population are expected in the 60-69 and 90+ age groups, while more modest increases are expected in the 70-79 and 80-89 age groups. Because increases are expected in all segments of the 60+ population, the projected number of persons with disabilities is expected to increase from 2000-2020 in Scioto County (see Table 2 below, and Table 1a in the Appendix). When broken down by age group, projections suggest the greatest increases in both moderate and severe disability among the 60-69 and 90+ age groups because of projected increases in these populations. Table 1a in the Appendix provides a breakdown of the projected number of disabled persons for each age group for Scioto County.

Table 2
Projections of Disability Among Population Age 60+
Scioto County, 2000*-2020

Year	Total Population	No Disability	Moderate Disability	Severe Disability
2000	15,566	11,648	2,596	1,322
2005	15,928	11,931	2,650	1,347
2010	17,083	12,853	2,804	1,426
2015	18,528	14,000	3,011	1,517
2020	20,165	15,278	3,259	1,628


Source: Authors' Projections

* Year 2000 data are actual population counts, years 2005-2020 are projections.

Figures 7 and 8 (and Tables 2a and 3a in the Appendix) show the projected number of disabled women and men (respectively) in Scioto County according to age group. Because the rates of disability are assumed to be constant over the future time horizon, projected changes in the number of people with disabilities reflect changes in population composition.

With regard to the older female population, 953 were severely disabled in 2000, compared to a projected 1,088 in 2020. Changes in the number of disabled older adults are expected only in age groups where population changes are expected. Figure 7 shows that between 2000 and 2020, an increase in numbers of severely disabled women age 60+ is expected among all age groups in Scioto County, as these populations are expected to increase.


Figure 7
Projections of the Number of Women Age 60+
with Severe Disability, by Age Group,
Scioto County, 2000*-2020



Source: Authors' projections.
 *Year 2000 data are actual disability counts.

The population with severe disabilities in Scioto County is largely female. In 2000, a total of 369 males age 60 and over were severely disabled (compared to 953 females). By the year 2020, it is expected that the number of disabled older men will increase to 540 (compared to 1,088 older women). Figure 8 shows that the largest increase in the number of severely disabled men is expected among the 60-69 age group. Smaller increases in the number of severely disabled men are expected among the 70-79, 80-89, and 90+ age groups in Scioto County.

Figure 8
Projections of the Number of Men Age 60+
with Severe Disability, by Age Group,
Scioto County, 2000*-2020




Source: Authors' projections.
 *Year 2000 data are actual disability counts.

Population Characteristics that Could Affect Need for Care

Several variables have been found to be related to the prevalence of disability and the need for long-term care services as one ages. These variables include poverty, racial and ethnic background, marital status, living alone, and educational attainment (http://www.aoa.gov/prof/statistics/future_growth/aging21/Program.asp). In the following sections, these issues are explored in the context of the older population in Scioto and Adams Counties.

Poverty - Standards for gauging poverty levels are set by the Federal Poverty Threshold³, which delineates income levels (or thresholds) that vary by family size, age of householder, and number of related children under 18 years of age. Rates of poverty are typically discussed as percentages of the Federal Poverty Threshold (FPT), for which those with incomes below 100% of the FPT are the most impoverished, and those with incomes above 400% of the FPT are the most economically advantaged. In the following discussion, data regarding individuals with incomes greater than 400% of the poverty level are included for comparison, although these individuals are not considered impoverished. As shown in Figure 9, a significant number of older adults in Scioto and Adams Counties are potential candidates for state and federal assistance based on income eligibility. In 2000, 67.4% of the 60+ population had incomes below 300% of the federal poverty level. Of this population, 18.5% were living at or below 100% of the poverty level.

Figure 9
Proportion of Population Age 60+ by Poverty Threshold Ratio,
Adams and Scioto Counties & Ohio, 2000




Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

³ **Federal Poverty Threshold** - In 2000, the poverty level was \$8,959 for one person under the age of 65, and \$8,259 for an individual over 65. For two person households, the poverty level was \$11,590 if the householder was under 65 and \$10,419 when the householder was 65+. In 1990, the poverty threshold was \$6,800 (annual income) for one person under the age of 65, and \$6,268 for an individual over 65. For two person households, where the householder was under the age of 65, the poverty threshold was \$8,794, and \$7,905 when the householder was 65+. For more information about poverty thresholds, see: <http://www.census.gov/hhes/poverty/threshld.html>

Compared to 1990, there were a higher percentage of older adults living at both ends of the poverty scale in 2000 in Scioto County. Figure 10 shows that the percent of adults 60+ living below the poverty level increased slightly between 1990 and 2000, from 16.8% to 18.5% of the 60+ population. At the other end of the scale, the percent of older adults with incomes over 400% of the poverty level (the most economically advantaged) increased in this period, from 13.8% in 1990, to 20.1% in 2000.


Figure 10
Proportion of Population Age 60+ by Poverty Threshold Ratio,
Adams and Scioto Counties, 1990 & 2000



Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

A closer examination of poverty rates in Scioto and Adams Counties reveals striking trends in relation to age. As shown in Figure 11, the percentage of people at or below the poverty level increases dramatically with advancing age. To illustrate, nearly one-third (26.0%) of 60-64 year olds reported incomes above four times the poverty threshold (the highest income category), compared to only 3.2% of those in the oldest age group (90+). In contrast, 17.9% of 60-64 year olds fall in the lowest income category, while 48.1% of the 90+ population reported incomes at or below the poverty threshold.

Figure 11
Proportion of 60+ Population in Poverty Compared to Those with Incomes
Above Four Times Poverty Threshold, by Age Group,
Adams and Scioto Counties, 2000




Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

Figure 12 shows a comparison of the most economically disadvantaged income category ($\leq 100\%$ FPT) and the most economically advantaged income category ($> 400\%$ FPT) by gender and age group. In order to show the contrast between the lowest and the highest income groups, the middle income categories have been intentionally left out.

In 2000, 31.1% of men age 60-64 were in the highest income category, while 9.2% of men age 90+ had this level of income. In contrast, only 16.4% of men age 60-64 were in the lowest income category, compared to 42.0% of men age 90+. Figure 12 shows that a fairly stable percentage of older men were classified as having incomes at or below 100% of the FPT from ages 60-84, with an increase in the proportion of men in this income category as they approach the 90+ age group. It appears that age 85-89 is a pivotal point for men, where average incomes drop sharply as they near the 90+ age group.

The pattern of income distribution among older women in Scioto and Adams Counties is similar to that of older men. One important distinction is that there is a higher proportion of women in the lowest income category ($\leq 100\%$ FPT), and a lower proportion of women in the highest income category ($>400\%$ FPT) at nearly all ages.

Figure 12
Proportion of Population Age 60+,
by Poverty Threshold Ratio*, Age Group, and Gender,
Adams and Scioto Counties, 2000




Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

*Middle income groups have been removed in order to show the contrast between the lowest and highest income groups.

Race and Ethnicity

Scioto County’s older population is less racially and ethnically diverse than the older population in Ohio as a whole. Figure 13 shows that in 2000, 97.1% of the county population (60+) identified themselves as white non-Hispanic, compared to 89.7% of the state population. In the same year, 1.2% of the county population self-identified as black non-Hispanic, compared to 8.4% of the state population.

Figure 13
Race and Ethnic Distribution Among Population Age 60+,
Scioto County & Ohio, 2000




Source: U.S. Census Bureau, 2000 Census of Population: PCT12I, PCT12J, & PCT12H SEX BY AGE.

Marital Status

According to Census data, the percentage of married older adults decreases steadily after age 60. As illustrated in Figure 14, the majority (68.3%) of 60-64 year olds were married in 2000, while 31.7% were single (defined as widowed, divorced, separated or never married). In contrast to 60-64 year olds, the marital status of the 90+ population is nearly the inverse. Among this age group, 77.0% were single in 2000, while 23.0% were married.


Figure 14
Marital Status of Population Age 60+, by Age Group
Adams and Scioto Counties, 2000



Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

Between 1990 and 2000, the percentage of married older adults (60+) in Scioto and Adams Counties remained fairly stable. In 2000, 57.9% of older residents were married compared to 54.7% in 1990. Similarly, no major changes occurred among the single population (people who were widowed, divorced, separated, or never married). In 2000, 42.1% of the 60+ population was single, compared to 45.3% in 1990 (see Figure 15).


Figure 15
Marital Status Among Population Age 60+,
Adams and Scioto Counties, 1990 & 2000



Source: U.S. Census Bureau, 1990 and 2000: Public Use Microdata Sample: 5-Percent.

Women above the age of 60 are more likely to be widowed, divorced, or separated than men. Figure 16 shows that 73.2% of men age 60+ in Scioto and Adams Counties were married in 2000, compared to only 46.0% of women. Because single older adults are more likely than married couples to need outside help or institutional care, the population in Scioto and Adams Counties that is potentially in need of such assistance is largely female.

Figure 16
Marital Status Among Population Age 60+, by Gender
Adams and Scioto Counties, 2000




Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

Living Alone

Figure 17 compares the proportion of Scioto and Adams County residents age 60+ who were living alone in 2000 to Ohio, and illustrates the changes that occurred in the county population (60+) living alone between 1990 and 2000.

In 2000, 35.2% of Scioto and Adams County residents age 60+ were living alone, compared to 32.1% of the state population age 60+. The percentage of older adults living alone in Scioto and Adams Counties has stayed the same since 1990, at 35.2% of the population.


Figure 17
Proportion of Population Age 60+ Living Alone,
Adams and Scioto Counties, 1990 & 2000, and Ohio, 2000



Source: U.S. Census Bureau, 1990 and 2000: Public Use Microdata Sample: 5-Percent.

Older women are more likely than older men to be living alone in Scioto and Adams Counties. Figure 18 shows that a higher percentage of women than men are living alone at all ages above 60. While the percentage of men living alone increases only slightly with age, the percent of women living alone increases dramatically with age. Among the 60-64 year age group in 2000, 11.3% of women were living alone, compared to 7.7% of men. Among the oldest age group (90+), 55.6% of women were living alone, compared to only 24.9% of their male counterparts.

Figure 18
Proportion of Population Age 60+ Living Alone,
by Gender, and Age Group,
Adams and Scioto Counties, 2000




Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

Education

Studies suggest that there is a strong relationship between educational attainment and the prevalence of poverty and disability in old age. Figure 19 shows that the majority of older adults (60+) in Scioto and Adams Counties have completed 12 or fewer years of school. Over one third (35.9%) of older adults have completed high school, and 42.6% have completed less than 12 years. This suggests that a significant proportion of the older population may be economically vulnerable.


Figure 19
Highest Level of Educational Attainment
Among Population Age 60+
Adams and Scioto Counties & Ohio, 2000



Source: U.S. Census Bureau, 2000; Public Use Microdata Sample: 5-Percent.

Figure 20 contrasts the educational attainment of older adults in Scioto and Adams Counties by gender. Older women are more likely to have only completed high school, while older men are more likely to have pursued and obtained higher degrees. As a whole, the older female population in Scioto and Adams Counties is less educated than the older male population.

Figure 20
Highest Level of Educational Attainment
Among Population Age 60+, by Gender
Adams and Scioto Counties, 2000



Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

Summary

This analysis of population trends and projections in Scioto County, Ohio reveals several important issues with regard to the prevalence of poverty and disability among the older population. Primarily, it is evident that the County population is aging, and the population age 60+ will continue to grow over the next twenty years. More specifically, the so-called "oldest old" (85+) are the fastest growing age group in the County (as well as the state of Ohio). The unprecedented growth in the older population will present the County (and the state) with a number of challenges in the coming years. Among the older population in Scioto County, levels of disability and poverty increase with age, with the oldest old experiencing the highest rates of both. Also of concern is the preponderance of older women among the oldest age groups, who comprise a majority of the impoverished, disabled and single populations. These women, who are highly economically vulnerable, and are potentially in need of significant personal care assistance, are frequently living alone; a trend that is expected to become increasingly common over the next several decades.

Methodology

Projections of the disabled older population in Scioto County were calculated in three steps. We developed projections of the county's older population by gender and age groups from 2000 to 2020. We also made estimates of disability rates for the older population by gender and age groups. And, we applied these disability rates to the projected population to project the number of persons with a disability in Scioto County.

Projection Method - We developed population projections using the "cohort component method" (Shryock & Siegel, 1996). This method involves beginning with actual population counts in gender and age groups, and applying specific rates of change (births, deaths, and migration) to estimate the future population. We projected the population in cycles of 5-year periods through the year 2020. We applied projected survival rates to the beginning population in order to calculate the surviving population for a 5-year period (see following section for an explanation of survival rates). Next, we applied gender and age group specific migration rates to calculate the number of survivors leaving and joining the county population during the five years. The final projected population equals the survived population plus the difference between the number of migrants leaving and joining the county. The projected population at the end of each 5-year period becomes the beginning population for the next 5-year period, and the procedure is repeated over the desired time horizon. We used 5-year age groupings of men and women to make the projections. In order to project the population that will be 60+ in 2020, we began with the population that was 40+ in 2000 (these cohorts, of course, age as they are projected forward).

Survival Rates - To calculate survival rates for the older population in Ohio, we combined projected national mortality rates from the Census with actual mortality rates for the state to develop a trended set of survival rates for 2005-2020. All calculations were done for each gender in 5-year age groups. Using Census projected life tables for 2000, 2005, 2010, 2015, and 2020, we developed 5-year survival rates for the nation (for life tables, see <http://www.census.gov/population/www/projections/natdet.html>). Using Ohio counts of death and counts of population for 2000, we developed survival rates for Ohio for 2000. We then projected the County's survival rates to pattern the expected change for the Nation while maintaining the difference between the County and the Nation that occurred in 2000.

Migration Rates - We computed net migration estimates (i.e., the difference in the number of migrants joining and leaving the county) for the County for each gender in 5-year age groups (beginning with ages 40-44 years old, through 95+). We calculated migration estimates using Census data for 1990 and 2000 and counts of County death from Ohio public use mortality files (Ohio Department of Health, 1990-2000). We "survived" the 1990 County population of each gender and age group by subtracting the deaths from those residing in the county from April 1, 1990 through March 31, 2000. In calculating the deaths occurring to an age group, we adjusted for the group's getting older, or aging, during the decade. We calculated net migration by subtracting this survived population from the 2000 count of the age population (the age group that was 10 years older in 2000 than in 1990). Thus, net migration equals the actual 2000 count minus the survived population (or minus the number of people that would have been in the county had no migration taken place during the decade). The aforementioned set of assumptions, which guided our projection methodology, garnered specific results. If these assumptions were

changed, it would yield different results. In 2003, the Ohio Department of Development produced a series of population projections for each of Ohio's 88 counties. As their research was based on a different set of assumptions, their numbers differ from ours slightly (<http://www.odod.state.oh.us/research/>).


Estimation of Age and Sex Specific Disability Rates for Gender and Age Groups - Disability in this study is defined as a measure of impairment in activities of Daily Living (ADL) and Instrumental Activities of Daily Living (IADL). Three levels were assigned to this measure: Severe Disability, Moderate Disability, and Little or No Disability. Disability rates for the institutionalized and community based older population were calculated separately, weighted by their respective proportions in the population, and then combined.

The community disability rates were calculated using the community portion of the 1994 National Long Term Care Survey (NLTCS). Institutional disability rates were calculated using the 1995 National Nursing Home Survey (NNHS). These surveys provided information to calculate the disability rate for the 65+ population. As we defined disability, we relied on individual ADL-IADL item scores. Sample participants were identified as either dependent in performing Activities of Daily Living or independent in order to assign disability status to each individual. Two criteria were used in selecting individual ADL or IADL items to include in the disability scale: 1) items must have similar wording, content, and time span in both surveys; and 2) the scale, and the items used in creating the scale, must be as similar as possible to the items used in calculating the disability measure that we created in our earlier studies of projecting disabled older population of Ohio.

We used 2000 Census data on self-care disabilities and the National Health Interview Survey on Disability, 1995: Phase II Adult Followback as a guide to extend the disability rates established for the 65+ population to the 60-64 age group. We are assuming that the proportion of the population that will become disabled in each gender and age group will remain constant from 1995 (the survey dates) to the year 2020. We acknowledge that there are studies that suggest it could be otherwise.


Figures 21 and 22 show the higher rates of severe disability among women of all ages, and the consistent increase in the prevalence of disability with advancing age for both men and women.

Figure 21
Estimated Percentage Distribution of Women
by Disability Status and Age, 1995



Source: Mehdizadeh, S.A., Kunkel, S.R., Ritchey, P.N. (2001). *Projections of Ohio's Older Disabled Population: 2015 to 2050*. Oxford, OH: Scripps Gerontology Center, Miami University.

Figure 22
Estimated Percentage Distribution of Men
by Disability Status and Age, 1995



Source: Mehdizadeh, S.A., Kunkel, S.R., Ritchey, P.N. (2001). *Projections of Ohio's Older Disabled Population: 2015 to 2050*.

References

- Administration on Aging (no date). Aging into the 21st century. Retrieved February 27, 2004, from http://www.aoa.gov/prof/statistics/future_growth/aging21/Program.asp
- Federal Interagency Forum on Aging-Related Statistics (July 28, 2000). Older Americans 2000: Key Indicators of Well-Being. Retrieved March 3, 2004, from <http://www.agingstats.gov/chartbook2000/dataneeds.html>
- Mehdzadeh, S.A., Kunkel, S.R., & Ritchey, P.N. (2001). Projections of Ohio's older disabled population: 2015 to 2050. Oxford, OH: Scripps Gerontology Center, Miami University.
- National Center for Health Statistics (1995). *National Nursing Home Survey, 1995*. Hyattsville, MD: United States Department of Health and Human Services.
- National Center for Health Statistics (1995). *National Health Interview Survey on Disability, 1995: Phase II, Adult Followback*. Hyattsville, MD: United States Department of Health and Human Services.
- National Institute on Aging & Center for Demographic Studies (1994) *National Long Term Care Survey, 1994*. Durham, NC: Center for Demographic Studies, Duke University.
- Ohio Department of Development (no date). Ohio County Profiles: Population Projections 2005-2030. Retrieved February 27, 2004, from <http://www.odod.state.oh.us/research/>
- Ohio Department of Health (1990-2000) *Ohio Death Statistics*. Columbus, Ohio: Ohio Department of Health.
- Shryock, H.S., Siegel, J. S. (1996). *The Methods and Materials of Demography*. Condensed edition by E.C. Stockton. New York: New York, Academic Press.
- U.S. Census Bureau (2003). Census 2000 Summary File 1 (SF 1) 100 – Percent Data. Retrieved 2003 from <http://factfinder.census.gov>.
- U.S. Census Bureau. (August 2, 2002). National Population Projections, Detailed Files. Retrieved November 5, 2003, from <http://www.census.gov/population/www/projections/natdet.html>
- U.S. Census Bureau (no date). Poverty thresholds. Retrieved February 27, 2004, from <http://www.census.gov/hhes/poverty/threshld.html>
- U.S. Department of Commerce, Bureau of the Census. CENSUS OF POPULATION AND HOUSING, 1990 [UNITED STATES]: PUBLIC USE MICRODATA SAMPLE: 5-PERCENT SAMPLE [Computer file]. 3rd release. Washington, DC: U.S. Dept. of Commerce, Bureau of the Census [producer], 1995.
- U.S. Department of Commerce, Bureau of the Census. CENSUS OF POPULATION AND HOUSING, 2000 [UNITED STATES]: PUBLIC USE MICRODATA SAMPLE: 5-PERCENT SAMPLE [Computer file]. 3rd release. Washington, DC: U.S. Dept. of Commerce, Bureau of the Census [producer], 2000.

Appendix

Table 1a
Projections of Total Older Population by Age and Levels of Disability
Scioto County, 2000, 2005, 2010, 2015, 2020

Year	Age Group	Total Population	No Disability	Moderate Disability	Severe Disability
2000*	60 - 69	6,976	5,927	836	213
	70 - 79	5,583	4,232	965	386
	80 - 89	2,477	1,364	622	491
	90+	530	125	173	232
	Total Age 60+	15,566	11,648	2,596	1,322
2005	60 - 69	7,322	6,219	879	224
	70 - 79	5,381	4,081	927	373
	80 - 89	2,738	1,517	687	534
	90+	487	114	157	216
	Total Age 60+	15,928	11,931	2,650	1,347
2010	60 - 69	8,178	6,957	971	250
	70 - 79	5,418	4,134	919	365
	80 - 89	2,959	1,636	743	580
	90+	528	126	171	231
	Total Age 60+	17,083	12,853	2,804	1,426
2015	60 - 69	9,240	7,862	1,096	282
	70 - 79	5,754	4,385	978	391
	80 - 89	2,908	1,601	733	574
	90+	626	152	204	270
	Total Age 60+	18,528	14,000	3,011	1,517
2020	60 - 69	9,881	8,401	1,177	303
	70 - 79	6,533	5,006	1,092	435
	80 - 89	3,048	1,701	760	587
	90+	703	170	230	303
	Total Age 60+	20,165	15,278	3,259	1,628

Source: U.S. Census Bureau, 2000: Public Use Microdata Sample: 5-Percent.

* Year 2000 data are actual population counts, years 2005-2020 are projections.

Table 2a
Projections of the 60+ Female Population by Age Group and Level of Disability
Scioto County

<u>Year</u>	<u>Age Group</u>	<u>Total Population</u>	<u>Population with No Disability</u>	<u>Population with Disability</u>	
				Moderate ^a	Severe ^b
2000	60-64	2,012	1,671	286	55
	65-69	1,756	1,447	245	64
	70-74	1,807	1,345	353	109
	75-79	1,550	1,056	333	161
	80-84	1,056	610	263	183
	85-89	636	257	184	195
	90 +	395	85	124	186
	Total	9,212	6,471	1,788	953
<u>Year</u>	<u>Age Group</u>	<u>Total Population</u>	<u>Population with No Disability</u>	<u>Population with Disability</u>	
				Moderate ^a	Severe ^b
2005	60-64	2,069	1,718	294	57
	65-69	1,880	1,549	263	68
	70-74	1,576	1,173	308	95
	75-79	1,515	1,032	325	158
	80-84	1,170	675	291	204
	85-89	651	263	189	199
	90 +	372	81	116	175
	Total	9,233	6,491	1,786	956
<u>Year</u>	<u>Age Group</u>	<u>Total Population</u>	<u>Population with No Disability</u>	<u>Population with Disability</u>	
				Moderate ^a	Severe ^b
2010	60-64	2,365	1,964	336	65
	65-69	1,940	1,598	271	71
	70-74	1,696	1,263	332	101
	75-79	1,334	909	286	139
	80-84	1,163	671	290	202
	85-89	741	300	215	226
	90 +	392	86	122	184
	Total	9,631	6,791	1,852	988

Table 2a Continued
Projections of 60+ Female Population by Age Group and Level of Disability
Scioto County

<u>Year</u>	<u>Age Group</u>	<u>Total Population</u>	<u>Population with No Disability</u>	<u>Population with Disability</u>	
				Moderate ^a	Severe ^b
2015	60-64	2,512	2,086	357	69
	65-69	2,227	1,835	311	81
	70-74	1,761	1,311	344	106
	75-79	1,450	988	311	151
	80-84	1,039	600	259	180
	85-89	755	305	219	231
	90 +	458	102	143	213
	Total	10,202	7,227	1,944	1,031
<u>Year</u>	<u>Age Group</u>	<u>Total Population</u>	<u>Population with No Disability</u>	<u>Population with Disability</u>	
				Moderate ^a	Severe ^b
2020	60-64	2,770	2,300	393	77
	65-69	2,371	1,953	331	87
	70-74	2,031	1,512	397	122
	75-79	1,517	1,033	326	158
	80-84	1,145	661	285	199
	85-89	691	279	200	212
	90 +	498	109	156	233
	Total	11,023	7,847	2,088	1,088

Source: Authors' projections.

^a Moderate disability is defined as received help in at least one of the following activities of daily living: eating, transferring in or out of bed or chair, getting to the toilet, dressing, bathing, remaining continent; or in at least two of the following instrumental activities of daily living: walking, shopping, meal preparation, housekeeping, or using transportation.

^b Severe disability is defined as received help in at least two of the following activities of daily living: eating, transferring in or out of bed or chair, getting to the toilet, dressing, remaining continent, or having cognitive impairment.

Table 3a
Projections of the 60+ Male Population by Age Group and Level of Disability
Scioto County

<u>Year</u>	<u>Age Group</u>	<u>Total Population</u>	<u>Population with No Disability</u>	<u>Population with Disability</u>	
				Moderate ^a	Severe ^b
2000	60-64	1,728	1,534	144	50
	65-69	1,480	1,275	161	44
	70-74	1,312	1,132	121	59
	75-79	914	699	158	57
	80-84	542	370	108	64
	85-89	243	127	67	49
	90 +	135	40	49	46
	Total	6,354	5,177	808	369
2005	60-64	1,770	1,571	148	51
	65-69	1,603	1,381	174	48
	70-74	1,271	1,097	117	57
	75-79	1,019	779	177	63
	80-84	619	423	124	72
	85-89	298	156	83	59
	90 +	115	33	41	41
	Total	6,695	5,440	864	391
2010	60-64	2,223	1,973	185	65
	65-69	1,650	1,422	179	49
	70-74	1,388	1,198	128	62
	75-79	1,000	764	173	63
	80-84	704	481	141	82
	85-89	351	184	97	70
	90 +	136	40	49	47
	Total	7,452	6,062	952	438

Table 3a Continued
Projections of 60+ Male Population by Age Group and Level of Disability
Scioto County

<u>Year</u>	<u>Age Group</u>	<u>Total Population</u>	<u>Population with No Disability</u>	<u>Population with Disability</u>	
				Moderate ^a	Severe ^b
2015	60-64	2,418	2,146	202	70
	65-69	2,083	1,795	226	62
	70-74	1,439	1,242	132	65
	75-79	1,104	844	191	69
	80-84	704	481	141	82
	85-89	410	215	114	81
	90 +	168	50	61	57
	Total	8,326	6,773	1,067	486
<u>Year</u>	<u>Age Group</u>	<u>Total Population</u>	<u>Population with No Disability</u>	<u>Population with Disability</u>	
				Moderate ^a	Severe ^b
2020	60-64	2466	2189	206	71
	65-69	2274	1959	247	68
	70-74	1828	1577	168	83
	75-79	1157	884	201	72
	80-84	791	540	158	93
	85-89	421	221	117	83
	90 +	205	61	74	70
	Total	9142	7431	1171	540

Source: Authors' projections.

^a Moderate disability is defined as received help in at least one of the following activities of daily living: eating, transferring in or out of bed or chair, getting to the toilet, dressing, bathing, remaining continent; or in at least two of the following instrumental activities of daily living: walking, shopping, meal preparation, housekeeping, or using transportation.

^b Severe disability is defined as received help in at least two of the following activities of daily living: eating, transferring in or out of bed or chair, getting to the toilet, dressing, remaining continent, or having cognitive impairment.